












DWG. ISSUE		REVISIONS	
DATE	PURPOSE	NO.	DESCRIPTION
04/09/2021	FOR APVL	A	APVL




CHAC UNITED

DATE: 04/09/2021	PURPOSE: FOR APVL	NO.: A	DATE: 04/09/2021	DESCRIPTION: APVL
FINISH: SHOP STD. GRAY		SURFACE PREP: SSPC-SP2 UNQ.		DRY FILM THICKNESS: 1.5-2.0 MILS UNQ.
CUSTOMER: CHAC UNITED		PROJECT: CHAC UNITED SAMPLE DRAWING		WELDING: E70XX-LH
ADDRESS: CHAC UNITED SAMPLE DRAWING		DRAWN BY:		CHECKED BY:
PROJECT: CHAC UNITED SAMPLE DRAWING		SHEET NO.:		




DWG. ISSUE		REVISIONS	
DATE	PURPOSE	NO.	DESCRIPTION
04/09/2021	FOR APVL	A	APVL
		△	
		△	
		△	
		△	
		△	
		△	
		△	


FINISH:	SHOP STD. GRAY	SURFACE PREP:	SSPC-SP2	DRY FILM THICKNESS:	1.5-2.0 MILS
CUSTOMER:		UN.Q.		UN.Q.	
PROJECT:	CHAC UNITED SAMPLE DRAWING				
ADDRESS:	CHAC UNITED SAMPLE DRAWING				
DRAWN BY:		CHECKED BY:		WELDING:	E70XX-LH
				SHEET NO.:	




ENLARGED PLAN @ ROOF LADDER




ENLARGED PLAN OF LADDER TO ROOF HATCH




SECTION 1




SECTION 2




SECTION 1A



SECTION 3



SECTION 1B




DETAIL - A





DWG. ISSUE		REVISIONS		BOLTS (UNQ)	HOLES (UNQ)	STEEL (ASTM (WF))	HSS (ASTM)	PARTS (ASTM)
DATE	PURPOSE	NO.	DATE	DESCRIPTION	A325 U.N.O.	13/16" U.N.O.	A572 GR 50 OR A992	A500-GR.B U.N.O.
11/24/2021	FOR APVL	A	11/24/2021	APVL				A36 U.N.O.
01/04/2022	2ND APVL	B	01/04/2022	2ND APVL				1.5-2.0 MILS U.N.O.
								WELDING: E70XX-LH


FINISH: HD GALV		SURFACE PREP: SSPC-SP3		DRY FILM THICKNESS: 1.5-2.0 MILS	
CUSTOMER: UN.O.		RD = REF. PT FOR RD'S		WELDING: U.N.O.	
PROJECT:		CHAC UNITED SAMPLE DRAWING		DRAWN BY:	
ADDRESS:		CHECKED BY:		JOB NO:	
SHEET NO:					



HATCH FRAME - ACCESS HATCH PER GC REQUEST
 VERTICAL LEG MUST BE TIGHT TO CONCRETE



CRAWLSPACE ACCESS LADDER PLAN



ITEM #	ITEM DESCRIPTION
2	Crawlspace access ladder



BOLTS (QTY)	A325 U.N.O	HOLES (QTY)	13/16\"/>		
STEEL (ASTM (WF))	A572 GR 50 OR A992	HSS (ASTM)	A500-GR.B	PARTS (ASTM)	A36 U.N.O
FINISH:	GALVANIZED	SURFACE PREP:	SSPC-SP3	DRY FILM THICKNESS:	1.5-2.0 MILS
CUSTOMER:	Shawmut Design & Construction	UN.O.	RD = REF. PT FOR RD'S	WELDING:	E70XX-LH
PROJECT:	CHAC UNITED SAMPLE DRAWING				
ADDRESS:	CHAC UNITED SAMPLE DRAWING				
DRAWN BY:		CHECKED BY:			
JOB NO:		SHEET NO:			

