


ANCHOR BOLT SETTING PLAN
 (REF: S-01A & S-04)
 1. FINISH FLOOR EL. 150'-0"-0.0
 2. ALL T.O.L.P ELEVATIONS ARE FROM 0'-0"




DWG. ISSUE		REVISIONS		BOLTS (UNO)	HOLES (UNO)	STEEL (ASTM (WF))	HSS (ASTM)	PARTS (ASTM)
DATE	PURPOSE	NO.	DATE	DESCRIPTION	NO.	A572 GR 50 OR A992	A500-GR.B	A36 U.N.O.
11/03/2023	FOR APVL	1	11/03/2023	APVL				
12/01/2023	FOR 2ND APVL	2	12/01/2023	2ND APVL				
12/12/2023	FOR 3RD APVL	3	12/12/2023	3RD APVL				
12/14/2023	FOR FLD USE	4	12/14/2023	FLD USE				
01/17/2024	FLD-R3	5	01/17/2024	ADDED COLUMN				

FINISH:	NO PAINT	SURFACE PREP:	SSPC-SP2	DRY FILM THICKNESS:	1.5-2.0 MILS
CUSTOMER:		RD = REF. PT FOR RD'S		WELDING:	E70XX-LH
PROJECT:		PAINT STRIPE			
ADDRESS:					
DRAWN BY:		CHECKED BY:			
JOB NO:		SHEET NO:			





PARTIAL ANCHORBOLT SETTING PLAN BUILDING-B
 1. FINISH FIRST FLOOR ELEVATION : 0'-0"
 2. ALL T.O.LP ELEVATIONS ARE FROM 0'-0"

MATCHLINE
SEE AR102



		BOLTS (UNO)		HOLES (UNO)		STEEL (ASTM (WF))		HSS (ASTM)		PARTS (ASTM)	
		A325		13/16" Ø		A572 GR 50 OR A992		A500-GR.B		A36	
DATE		PURPOSE		NO.		DATE		DESCRIPTION		FINISH:	
04/14/2023		FOR APVL		A		04/14/2023		APVL		NO PAINT	
06/23/2023		FOR FLD USE		O		06/23/2023		FLD USE		SURFACE PREP: SSSP-SP2	
11/22/2023		FOR RECORD		R		11/22/2023		FOR RECORD		DRY FILM THICKNESS: 1.5-2.0 MILS	
CUSTOMER:		PROJECT:		ADDRESS:		DRAWN BY:		JOB NO.:		CHECKED BY:	
UNO.		UNO.		UNO.		UNO.		UNO.		UNO.	
RD = REF. PT FOR RD'S		WELDING:		E70XX-LH		PAINT STRIPE					
SHEET NO.:		AR101									



ANCHOR BOLT SETTING PLAN
 1) FIN. 1ST FL. ELEVATION REF: 75'-6" = 0'-0"
 2) ALL B.O.B.P. ELEVATIONS SHOWN ARE FROM 0'-0"



FIELD NOTE:-
 WHERE CONCRETE PIER SUPPORTS COLUMN BASE PLATE BELOW TOP OF INTEGRAL CONCRETE WALL, PROVIDE BLOCKOUT IN WALL ABOVE TOP OF PIER AS REQUIRED, MIN 1" WIDER THAN BASE PLATE, TO ALLOW STEEL INSTALLATION. INFILL CONCRETE BLOCKOUT IN WALL AFTER STEEL ERECTION IS COMPLETED.

DWG. ISSUE		REVISIONS	
DATE	PURPOSE	NO.	DESCRIPTION
11/19/2021	FOR APVL	A	APVL
01/06/2022	FOR FLD USE	0	FLD USE
04/29/2022	FLD USE	1	REVISED PER FLD CONDITIONS

REF DWG: S-101 & S-202 TEKLA

BOLTS (QNT)	A325	HOLES (QNT)	13/16"	STEEL ASTM (WF)	A572 GR 50 OR A992	HSS (ASTM)	A500-GR.C	PARTS (ASTM)	A36
FINISH:	U.N.O.	U.N.O.	U.N.O.	CUSTOMER:	All Anchor Bolts NOPAINT	SURFACE PREP:	SSPC-SP2	DRY FILM THICKNESS:	1.5-2.0 MILS
PROJECT:						U.N.O.	U.N.O.	WELDING:	E70XX-LH
ADDRESS:						U.N.O. = REF. PT FOR RD'S ⊗ = PAINT STRIPE			
DRAWN BY:						CHECKED BY:			
JOB NO:						SHEET NO:			

AR100




ANCHOR BOLT SETTING PLAN
 1) FINISH FLOOR ELEVATION - 700'-0" = 0'-0" (U.N.O.)
 2) ALL B.O.BP ELEVATIONS ARE FROM 0'-0"

REF DWG: S1-01 TEKLA



DWG. ISSUE	REVISIONS			
DATE	PURPOSE	NO.	DATE	DESCRIPTION
07/08/2022	FOR APVL	1	07/08/2022	APVL
08/19/2022	FOR FLD USE	0	08/19/2022	FLD USE
09/02/2022	FLD USE-R1	1	09/02/2022	RELEASED HOLDS
09/29/2022	FLD USE-R2	2	09/29/2022	RELEASED HOLDS
11/10/2022	FLD USE-R3	3	11/10/2022	REVISED PER GIRT 2ND APVL
11/21/2022	FLD-R4	4	11/21/2022	REVISED PER FLD CONDITIONS

BOLTS (QUNO) A325 U.N.O.	HOLES (QUNO) 13/16"Ø U.N.O.	STEEL ASTM (WF) A572 GR 50 OR A992	HSS (ASTM) A500-GR.B	PARTS (ASTM) A36 U.N.O.
FINISH: NO PAINT		SURFACE PREP: SSPC-SP2		DRY FILM THICKNESS: 1.5-2.0 MILS U.N.O.
CUSTOMER: UN.O.		_RD = REF. PT FOR RD'S		WELDING: E70XX-LH
PROJECT:		ADDRESS:		DRAWN BY:
JOB NO:		CHECKED BY:		SHEET NO:




ANCHOR BOLT SETTING PLAN

- 1) FIN. 1ST FL. ELEVATION REF. - 61'-6" = 0'-0"
- 2) ALL T.O.L.P. ELEVATIONS SHOWN ARE FROM EL.0'-0"

REF DWG: S-101 TEKLA



DWG. ISSUE		REVISIONS		BOLTS (QTY)	HOLES (QTY)	STEEL (ASTM)	HSS (ASTM)	PARTS (ASTM)
DATE	PURPOSE	NO.	DATE	DESCRIPTION	A325 U.N.O.	13/16"Ø U.N.O.	A572 GR 50 OR A992	A500-GR.C
01/20/2022	FOR APVL	A	01/20/2022	APVL	NO PAINT		SSPC-SP2	A36 U.N.O.
04/18/2022	FOR 2ND APVL	B	04/18/2022	2ND APVL	CUSTOMER: New Samaritan		UN.O.	1.5-2.0 MILS UN.O.
05/12/2022	FOR FLD USE	0	05/12/2022	FLD USE	PROJECT:		UN.O.	E70XX-LH
				ADDRESS:		DRAWN BY:		
				JOB NO:		CHECKED BY:		
				SHEET NO:		AR100		




ANCHOR BOLT SETTING PLAN
 1. FINISH FIRST FLOOR ELEVATION : - 0'-0"
 2. ALL T.O.LP ELEVATIONS ARE FROM 0'-0"

DWG. ISSUE	REVISIONS	
DATE	PURPOSE	DESCRIPTION
03/29/2023	FOR APVL	0
07/17/2023	FOR FLD USE	1
		2
		3
		4
		5
		6
		7
		8

REF DWG: S1.0 & S5.2 TEKLA



BOLTS (UNO)	A325	HSS (ASTM)	A500-GR.C	PARTS (ASTM)	A36
HOLES (UNO)	13/16"Ø	STEEL (ASTM)	A992	DRY FILM THICKNESS	UNO
FINISH:	NO PAINT	SURFACE PREP:	SSPC-SP2	WELDING:	E70XX-LH
CUSTOMER:		UNO:	_RD = REF. PT FOR RD'S		
PROJECT:			⊗ = PAINT STRIPE		
ADDRESS:					
DRAWN BY:		CHECKED BY:			
JOB NO:		SHEET NO:			

AR100 